



---

# Illustrating Group Theory


---

## A Coloring Book

---



Math is about more than just numbers. In this "book" the story of math is visual, told in shapes and patterns.




Group theory is a mathematical study with which we can explore symmetry.

---

# ABOUT


---

This coloring book is both digital and on paper.



The paper copy is where the coloring is done - color through the concepts to explore symmetry and the beauty of math.

The digital copy brings the concepts and illustrations to life in interactive animations.




Print a copy: [coloring-book.co/book.pdf](https://coloring-book.co/book.pdf)

Digital copy: [coloring-book.co](https://coloring-book.co)



*The illustrations in this book are drawn by algorithms that follow the symmetry rules of the groups each illustration represents.  
Many of these algorithms also add components of randomness so that each set of illustrations is unique.*




Give feedback // Get Updates: [coloring-book.co/form](https://coloring-book.co/form)

# ROAD MAP

---


We'll color through the concepts of groups,

such as the FRIEZE PATTERNS




They start with a single shape that transforms and then repeats forever in opposite directions.

WALLPAPER PATTERNS repeat infinitely in even more directions.



But first we'll start with the basics of SHAPES & SYMMETRIES.



## WHO THIS BOOK IS FOR

---

This book is for children and adults alike. It is for math nerds or experts, as well as people who avoid the subject. It is for coloring enthusiasts as well those who would prefer to simply read through or play with patterns. It is for educators and their students, parents and their children, and casual readers just looking to have a good time.

This book is for you.

## WHAT THIS "BOOK" IS AND IS ABOUT

---

This is a "coloring book about math" that is both digital and on paper.

It is a playful book. The mathematical concepts it presents show themselves in illustrations that can be colored on paper or animated and regenerated by interacting with them on the web version. Throughout the book there are thought challenges and coloring challenges to further engage the reader in puzzling over the content.

The book is about symmetry. It uses group theory as the mathematical foundation to discuss its content while heavily relying on visuals to communicate the concepts.

Group theory and other mathematical studies of symmetry are traditionally covered in college level or higher courses. This is unfortunate because these are the most exciting parts of mathematics and they can be introduced with language that is visual, and with words that avoid jargon. Such an introduction is the intention of this "book".

## HOW TO USE THIS "BOOK"

---

This "book" has two publically available formats.

On paper: <http://coloring-book.co/book.pdf>

Online: <http://coloring-book.co>

The two formats are designed to complement each other, and many may wish to use them both at once. The content can be viewed on either, but the different formats provide different ways to more deeply engage or play with it:

The illustrations can be colored on paper. Only on paper can the coloring challenges be fully completed and realized in color.

The illustrations come to life on the web version, where the symmetries they illustrate are animated and interactive in order to further deepen the reader's intuition of their mathematical concepts.

This book can be used as a playful educational tool to serve as an extra resource in the classroom or home. For educators, the challenges within the pages of the book can be used as "problem sets".

This book can be used as a relaxing coloring book.

This book can be used to entertain your mathematical intuition or interests.



# WHY A COLORING BOOK

---

A coloring book serves as the medium to present this content for multiple reasons:

## To make "higher level math" more approachable and less intimidating.

Many people feel comfortable picking up a coloring book and getting to work on it with colored pencils. Fewer people feel comfortable approaching a book about "higher level" concepts in math, such as group theory. This need not be the case. There are "higher level" math concepts that do not require background knowledge or expertise and can be presented with illustrations instead of numbers. This book intends to guide its reader through such mathematical concepts by using the experience of coloring mathematical illustrations, as their underlying concepts are gently described alongside them.

## To capture the necessary attention from the audience.

Mathematical concepts of depth and beauty take time to understand and appreciate - but who is ready to give that time in our modern age of distractions? Coloring books are an anomaly in society's sea of short form mediums in that they attract extended amounts of attention from adults who want to relax, and children who want to be amused. This is the type of attention - dedicated attention to slowly working through one page at a time - that is ideal for absorbing math.

## To make math more playful for those left out of the fun.

Many stereotypical "math whizzes" will tell you they have fun doing math problem sets. Problem sets are a means to actively engage with concepts learned through challenges; they are a tool for learning, and completing them can be a fun game. Problem sets need not be about solving equations! This book's form of "problem sets" are "coloring challenges": these challenges actively engage readers with the concepts presented by challenging them to color in the illustrations that represent those concepts with a specific goal or set of mathematical requirements.

## To make math more relaxing for those who find it stressful.

Many people find math books stressful. At the same time, many people resort to coloring books as a means to relaxation. This "book" provides a relaxing path to mathematical learning by melding the two mediums.

## To welcome mathematical thinkers of all kinds.

There are many ways to teach, and there are many ways to learn. Traditional curriculums focus on the manipulation of numbers and arithmetic, and may make some learners feel that math is not for them. This "coloring book" was developed to provide a different mechanism to engage with math, one that is more visual and tactile. Ideally it can reach those learners who may have previously been alienated or left behind by traditional math pedagogy.

# TABLE OF CONTENTS

---

[Who This Book Is For](#)


[What This "Book" Is And Is About](#)

[How To Use This "Book"](#)

[Why A Coloring Book](#)

---

## SHAPES & SYMMETRIES

 [Rotations & Cyclic Groups](#)

 [Reflections & Dihedral Groups](#)

## FRIEZE GROUPS

*An introduction to the symmetries of infinitely repeating patterns and the 7 frieze pattern groups.*

## WALLPAPER GROUPS

*A guided exploration of the 17 wallpaper pattern groups, with challenges to find and manipulate the symmetries of patterns that repeat in multiple directions.*

---

[Theory Reference](#)

[Symmetries Guide](#)

[Contact & Social Media](#)

[Code](#)

[About the Author & Project](#)



# SHAPES & SYMMETRIES

---

Symmetry presents itself in nature,



*Landscape reflection in water*

But often with imperfections.



*Moth*







*Acorn*



*Starfish*

Math creates a space where perfect symmetry can be considered.









Some shapes have more symmetry than others.



If while you blinked, a square was flipped,




or turned a quarter of the way around,




you would then still see the same square and not know.



This is not the case for a rectangle...



*Challenge: Which of these shapes can be rotated by a  $\frac{1}{4}$  turn without changing in appearance?*



*shapes with  $\frac{1}{2}$  turns and shapes with  $\frac{1}{4}$  turns*

Our intuitive ideas of symmetry let us see that a square is "more symmetric" than a rectangle because it can be flipped and turned in more ways.




But this can change once color is added...



With color we will explore the world of perfect lines and symmetry.

*Coloring Challenge: Can you color the shapes to make them "less symmetric"?*







# ROTATIONS


---

A regular triangle can be rotated  $\frac{1}{3}$  of the way around a circle and appear unchanged.




If the triangle is instead rotated by an arbitrary amount, like  $\frac{1}{4}$  of the way around a circle, it will then appear changed, since it is oriented differently.






*circular pattern of order 9*

We can find ways to color the triangle so that a  $\frac{1}{3}$  turn still does not change it.




While this will not work for other ways.



*Coloring Challenge: Can you color the shapes so that a  $\frac{1}{3}$  turn continues to leave their appearance unchanged?*






*shapes with  $\frac{1}{3}$  turns and sierpinski triangles*




Our triangle can also rotate by more than a  $\frac{1}{3}$  turn without changing.


It can rotate by twice that much -  $\frac{2}{3}$  of the way around the circle - or by 3 times that much, which is all the way around the circle.




We can keep rotating - by 4 times that much, 5 times that much, 6 times... and keep going. The triangle seems to have an infinite number of rotations, but after 3 they become repetitive.




*Challenge: How many ways can a square rotate without changing before the ways become repetitive?*






*circular pattern of order 12*


The triangle has only 3 unique rotations. We'll talk about rotations that are less than a full turn.



Other shapes have these same 3 rotations. For this reason, we can say they all share the same symmetry group.




However, their rotational symmetry can be removed by adding color.



Now when our shape is rotated, its color shows it.


*Coloring Challenge: Can you color the shapes to remove their rotational symmetry?*






*shapes with 3 rotations, and a shape with 6 rotations*

Now that we can count rotations, we can be more precise when we say a square has more symmetry than a rectangle.




We can also see that a square has more rotational symmetry than a triangle, which in turn has more than a rectangle:

A rectangle has only 2 unique rotations, while a triangle has 3, and a square has 4.




*Challenge: Can you find all the shapes with 4 rotations?*

*Coloring challenge: Color the shapes with 4 rotations so that they have only 2 rotations.*




*shapes with 2, 3, 4 rotations*


We don't need to stop at 4 rotations. We can find shapes with 5 rotations, 6 rotations, 7, 8, ... and keep going towards infinity.



These shapes don't need to be so simple.




*Challenge: Can you find all of the shapes with 7 rotations?*



*shapes with 5, 6, 7 rotations*


When shapes have the same number of rotations, they share a symmetry group.

We can call the group with 2 rotations  $C_2$ , and call the the group with 3 rotations  $C_3$ , call the group with 4 rotations  $C_4$ , and so on...



These groups are called the cyclic groups.

*Challenge: Can you find all of the  $C_5$  and  $C_6$  shapes?*



*C3, C4, C5, C6, C7 shapes*

Our shapes help us see our groups, but the members of the groups are the rotations, not the shapes.

**C2:**


$$\left\{ \begin{array}{c} \square \\ \text{0 turn} \end{array} \quad \begin{array}{c} \square \\ \text{1/2 turn} \end{array} \right\} = \left\{ \begin{array}{c} \text{shape} \\ \text{0 turn} \end{array} \quad \begin{array}{c} \text{shape} \\ \text{1/2 turn} \end{array} \right\}$$

**C3:**

$$\left\{ \begin{array}{c} \triangle \\ \text{0 turn} \end{array} \quad \begin{array}{c} \triangle \\ \text{1/3 turn} \end{array} \quad \begin{array}{c} \triangle \\ \text{2/3 turn} \end{array} \right\} = \left\{ \begin{array}{c} \text{shape} \\ \text{0 turn} \end{array} \quad \begin{array}{c} \text{shape} \\ \text{1/3 turn} \end{array} \quad \begin{array}{c} \text{shape} \\ \text{2/3 turn} \end{array} \right\}$$


The rotations within each group are related to each other...






*C9 shape (circular pattern)*

**C4:**




Another way to think about rotating a C4 shape by a  $\frac{3}{4}$  turn is to rotate it by a  $\frac{1}{4}$  turn and then rotate it again by a  $\frac{2}{4}$  turn.


$$\text{C4: } \frac{1}{4} \text{ turn} * \frac{2}{4} \text{ turn} \rightarrow \frac{3}{4} \text{ turn}$$



Notice that the order in which these rotations are combined does not matter. The cyclic groups are commutative.

$$\text{C4: } \frac{1}{4} \text{ turn} * \frac{2}{4} \text{ turn} = \frac{2}{4} \text{ turn} * \frac{1}{4} \text{ turn}$$





*C2 and C4 shapes*


Similarly, for our  $C_3$  group, a  $\frac{2}{3}$  turn is the same as combining a  $\frac{1}{3}$  turn with another  $\frac{1}{3}$  turn.

$$\mathbf{C_3: \quad \frac{1}{3} \text{ turn} * \frac{1}{3} \text{ turn} \rightarrow \frac{2}{3} \text{ turn}}$$





Adding another  $\frac{1}{3}$  turn brings the shape back to its starting position - the 0 turn.

$$\mathbf{C_3: \quad \frac{1}{3} \text{ turn} * \frac{1}{3} \text{ turn} * \frac{1}{3} \text{ turn} \rightarrow 0 \text{ turn}}$$



See, the  $\frac{1}{3}$  turn can generate all of the rotations of  $C_3$  - it is a generator for our  $C_3$  group.






*C27 shape (circular pattern)*

The  $\frac{1}{3}$  turn is a generator for our  $C_3$  group, and similarly, the  $\frac{1}{4}$  turn is a generator for our  $C_4$ , because it can generate all of the rotations of our  $C_4$ .


$$\mathbf{C_3:} \quad \frac{1}{3} \text{ turn} \rightarrow \left\{ \begin{array}{ccc} \triangle & \triangle & \triangle \\ \text{0 turn} & \text{1/3 turn} & \text{2/3 turn} \end{array} \right\}$$

$$\mathbf{C_4:} \quad \frac{1}{4} \text{ turn} \rightarrow \left\{ \begin{array}{cccc} \square & \square & \square & \square \\ \text{0 turn} & \text{1/4 turn} & \text{2/4 turn} & \text{3/4 turn} \end{array} \right\}$$

We could even choose different generators.



*C2, C4, C8 shapes*




We could have just as easily used a  $\frac{2}{3}$  turn as our generator for  $C_3$  and ended up with the same result.

$$\mathbf{C_3:} \quad \frac{2}{3} \text{ turn} \rightarrow \left\{ \begin{array}{ccc} \triangle & \triangle & \triangle \\ \text{0 turn} & \text{1/3 turn} & \text{2/3 turn} \end{array} \right\}$$


However, not all rotations are generators.





*C<sub>9</sub> shape (circular pattern)*

A  $\frac{2}{4}$  turn does not generate all of the rotations of our  $C_4$  group.




Instead a  $\frac{2}{4}$  turn generates a smaller group -- our  $C_2$  group.

$$\frac{2}{4} \text{ turn} \rightarrow \left\{ \begin{array}{cc} \square & \square \\ \text{0/4 turn} & \text{2/4 turn} \end{array} \right\} = \left\{ \begin{array}{cc} \begin{array}{c} \diagup \\ \square \end{array} & \begin{array}{c} \diagdown \\ \square \end{array} \\ \text{0/2 turn} & \text{1/2 turn} \end{array} \right\}$$

Another way to see this is with color...


*Challenge: Find all the generators for  $C_4$  and  $C_8$ .*

*Challenge: Which rotations of  $C_8$  reduce  $C_8$  to  $C_4$  when used as generators?*




*C8 shape (circular pattern)*


We can transform a C4 shape into a C2 shape by coloring it.




The only rotations that leave this colored shape unchanged are those of C2.



Not all colorings of our C4 shapes will transform them into C2 shapes.






*Coloring Challenge: Use color to transform the uncolored shapes into C2 shapes.*




*C4 and C8 shapes*


Color can reduce C4 shapes to C2 or C1 shapes because our C2 and C1 are subgroups of our C4 group. A subgroup is a group contained within a group.



Similarly, our C1, C2, and C3 groups are all subgroups of our C6 group.

*Coloring Challenge: Can you color the C6 shapes to reduce them to C1, C2, or C3 shapes?*





*C2, C4, C6 shapes*

Notice that a group has all of the rotations of its subgroups.




Try to color a  $C_6$  shape so that it has the rotations of  $C_4$ .




It can't be done.  $C_4$  is not a subgroup of  $C_6$ .

There is more to it than that.






When we use color to reduce our shapes to represent smaller groups, we give them a new set of rotations.




Not all sets of rotations are groups, and therefore cannot be subgroups. Try to color a shape in a way so that it has *only* a 0 turn and a  $\frac{1}{4}$  turn.



It's impossible without also giving the shape a  $\frac{2}{4}$  turn and a  $\frac{3}{4}$  turn. That's because **{0 turn,  $\frac{1}{4}$  turn }** is not a group, but **{0 turn,  $\frac{1}{4}$  turn,  $\frac{2}{4}$  turn,  $\frac{3}{4}$  turn }** is.


Why? This brings us back to combining rotations.




*C2 and C4 shapes*

In order for a set of rotations to be a group, any combination of rotations in the set must also be in the set. This rule is called group closure, and you can see it.

Take the set **{0 turn,  $\frac{1}{3}$  turn}**.




This is not a group because it's missing the  $\frac{2}{3}$  turn, which is created by combining a  $\frac{1}{3}$  with another  $\frac{1}{3}$  turn.






Can you color a shape to have the **{0 turn,  $\frac{1}{3}$  turn}** rotations without a  $\frac{2}{3}$  turn?



No, but adding the  $\frac{2}{3}$  turn to the set gives us our  $C_3$  group again.



*Coloring Challenge: Color the shapes to make them all  $C_2$  shapes.*




So far we've only been talking about groups of rotations.

These groups are cyclic. They can be created by combining just one rotation - the generator - multiple times with itself.

$$\mathbf{C3:} \quad \frac{1}{3} \text{ turn} \rightarrow \left\{ \begin{array}{ccc} \triangle & \triangle & \triangle \\ \text{0 turn} & \text{1/3 turn} & \text{2/3 turn} \end{array} \right\}$$

For our next groups, we have more generators, such as reflections.



*shapes with reflection*


# REFLECTIONS

---


Even when two shapes have the same number of rotations, one can still have more symmetry than the other.




Some shapes have mirrors - they can reflect across internal, invisible lines without changing in appearance




While others cannot.



We'll see how these mirrors can be removed when color is added.









*shapes with reflection*


We saw that a single generator, the  $\frac{1}{3}$  turn, could generate the entire group of rotations of a regular triangle,  $C_3$ .



We can also reflect this triangle across a vertical mirror through its center.




By coupling this mirror with a rotation, we can generate even larger groups.




*shapes with vertical mirrors*


Reflections are easier to see with color.




More mirror reflections can be generated by simply combining this vertical mirror with rotations.




In total, a regular triangle has 3 unique mirrors.




*Coloring Challenge: Use color to show what happens to our triangle when it is reflected and then rotated. Is this different than rotating and then reflecting?*






*shapes with 3 rotations and 3 mirrors*

With just a rotation and a mirror as generators, we generated a new, larger group of symmetries for a regular triangle.




We can do the same for other shapes.




*shapes with 3 rotations and 3 mirrors*

Our triangle has 3 unique rotations and 3 unique reflections, a square has 4, and we can find shapes with 5, 6, 7, and keep going...




Shapes that are not regular polygons can have these same symmetries.



When shapes have the same set of symmetries, they share a symmetry group.


*Challenge: Can you find the shapes that have the same rotations and reflections of a square?*






*shapes with 3, 4, 5, 6, 7, 8 rotations and reflections*

The symmetry group of a regular triangle and all the shapes that have its same symmetries, is called  $D_3$ , while the symmetry group of a square is called  $D_4$ , and so on...




This series of groups is called the dihedral groups.




*D3, D4, D5, D6, D7, D8 shapes*

These shapes that share a symmetry group may look different, but when viewed through the lens of group theory, they look the same. Only their symmetries - the rotations and reflections that leave them unchanged - are seen.




*Challenge: Which dihedral group does each uncolored shape belong to?*




*D3, D4, D5, D6, D7, D8 shapes*

By looking for rotations and reflections, we can see when shapes share a symmetry group.




And when they do not.




*Coloring Challenge: Can you color the shapes so that none of them share a symmetry group?*







Again, color can reduce the amount of symmetry a shape has.




For example, a D6 shape has 6 mirrors and 6 rotations, but color can transform it into a shape with only 3 mirrors and 3 rotations - a D3 shape.




Color can reduce a D6 shape to a D3 shape because D3 is a subgroup of D6. Similarly, D4 is a subgroup of D8.




*Coloring Challenge: Can you use color to reduce the D10 shapes to D5 shapes?*









What happens when color is added to remove only mirrors and not rotations?




The dihedral groups have mirror reflections, while the cyclic groups do not. When these mirrors are removed, we can see the cyclic groups are subgroups of the dihedral groups.




*Coloring Challenge: Color the D6 shapes to transform them into C6 shapes.*







Color can also take away a shape's rotations.




Coloring in this way leads to finding subgroups with only mirror reflections.




*Coloring Challenge:* Use color to reduce  $D_6$  shapes to  $D_3$  shapes. Then add more color to remove their rotations so that they only have reflection.






There's something about these mirrors that you may have already noticed.





Reflecting a shape across the same mirror twice in a row is the same as not reflecting it at all.



The second reflection reverses the work of the first reflection.

The same can be said for the other mirrors we found.






You may have also noticed that our rotations can be reversed as well.


When a square is rotated by a  $\frac{1}{4}$  turn, rotating again by a  $\frac{3}{4}$  turn brings it back to the position it started in. The result is the same as a 0 turn.

$$\frac{1}{4} \text{ turn} * \frac{3}{4} \text{ turn} = 0 \text{ turn}$$




The same can be said the other way around.


$$\frac{3}{4} \text{ turn} * \frac{1}{4} \text{ turn} = 0 \text{ turn}$$



*Challenge: Which rotation in  $C_4$  is the reverse of the  $\frac{2}{4}$  turn?*








When one transformation, like a  $\frac{1}{4}$  turn, reverses the work of another transformation, it's called an inverse.


The  $\frac{1}{4}$  turn is the inverse of the  $\frac{3}{4}$  turn in  $C_4$ , and vice-versa.

Similarly, the  $\frac{1}{3}$  turn and  $\frac{2}{3}$  turn are inverses in  $C_3$ .

$$C_3: \frac{1}{3} \text{ turn} * \frac{2}{3} \text{ turn} = 0 \text{ turn} = \frac{2}{3} \text{ turn} * \frac{1}{3} \text{ turn}$$




*Challenge: What is the inverse of a vertical reflection? What is the inverse of any reflection?*




*D2, D4, D9 shapes*

All of the transformations in our cyclic and dihedral groups have inverses.

Even when a shape undergoes a combination of reflections and rotations,





The transformations can be reversed and the shape can end back in the position it started.



This is a rule in group theory: Any member of a group has an inverse that is also in the group. And remember, the members of our groups are the reflections and rotations that transform our shapes.


*Coloring Challenge: Color the squares to show the result of rotating by a  $3/4$  turn and then reflecting across a vertical mirror. Then find the combination of transformations that brings the square back to its starting position.*







*D12 (circular pattern)*

There are bigger groups to see and more types of symmetry to talk about. There are even transformations that take our illustrations beyond shapes and generate patterns that repeat forever.



*Challenge: What would happen if you reflected a shape across a mirror that sat next to the shape rather than through its center?*






*patterns of repeated shapes with mirror reflection*

# FRIEZE GROUPS


---

The **Frieze Groups** can be seen in patterns that repeat infinitely in opposite directions.




A page cannot do these patterns justice. It cuts them off when really they continue repeating forever...

*Challenge: Can you see how the patterns repeat across the page? Can you extend your imagination to see these as infinitely repeating patterns?*



*Coloring Challenge: Color the patterns in a way that maintains their repetition.*






*frieze patterns*



Consider the smallest repeating piece of this pattern as a unit.




The entire pattern can shift over by this unit and there is always more behind it to replace what was shifted



so that the shift leaves the entire pattern unchanged. Such is the nature of infinite repetition...

This shift is a symmetry called **translation**.

*Coloring Challenge: Color the patterns to make them less repetitive.*



*frieze patterns with triangles in their fundamental domains*

## p1

### Translation

The simplest frieze group has **translation** as its only symmetry - it is generated by **translation** alone.


We can see this by starting with a single piece



that is copied and then translated



again and again... ..an infinite number of times...




...

to result in a pattern with **translation** as a symmetry that leaves the entire pattern unchanged.




*Challenge: Is the frieze group with just translation and example of a cyclic group?*




*p1 frieze patterns: translation*

A **translation** can be composed with another **translation** so that in the same way a pattern can shift over by 1 unit and remain unchanged, it can also shift over by 2 units and remain unchanged.




We can keep composing **translations** to see larger and larger shifts...




Or we can use color to take them away...

*Coloring Challenge: Color the pattern so that it is not possible to translate it by 1 triangle unit without changing it in appearance.*





*p1 frieze patterns: translation*



By coloring every other unit in this pattern, we can double the shortest possible distance of **translation** in the pattern from 1 unit to 2.




Now only translating by an even number of units leaves the pattern unchanged in appearance.

The pattern still repeats infinitely, and there are still an infinite number of **translations** that will leave it unchanged. By adding color, we took away  $\frac{1}{2}$  of its **translations**, but  $\frac{1}{2}$  of infinity is still infinity.

*Coloring Challenge: Can you color the patterns so that the shortest possible translation distance triples?*








*p1 frieze patterns: translation*

## p11m


### Horizontal Reflection & Translation

Our patterns can have more symmetry than just translation.


Reflecting a piece across a horizontal mirror before translating it,




generates a new pattern, with more symmetry than the one before.




It still has **translation** - it can still shift over without changing.



But it also has a **horizontal reflection**: The whole pattern can reflect across the same mirror that transformed our first piece, and appear unchanged.



*Challenge: Can you find the mirrors in the following patterns?*




*p11m frieze patterns: horizontal reflection, translation*

## p1m1

### Vertical Reflection & Translation

Patterns can have **vertical mirrors** as well.



These mirrors shift over with each repeated translation, so once a pattern has one vertical mirror, it has an infinite number of vertical mirrors.




Twice that many, really.



Even though we start with a vertical mirror on one side of each piece, as the pattern repeats, another different vertical mirror shows itself.

*Challenge: Can you find the mirrors in the following patterns?*

*Coloring Challenge: Can you color the patterns to remove the mirrors?*



*p1m1 frieze patterns: vertical reflection, translation*



All of these mirrors can be removed with color.




With color, we can reduce the patterns so that translation is their only symmetry.



Why can we do this?


This brings us back to subgroups.

*Coloring Challenge: Color the patterns to remove any mirrors so that translation is their only symmetry.*



*p1m1 frieze patterns: vertical reflection, translation*

Our patterns with vertical reflection belong to a symmetry group with translation and vertical reflection.


**{vertical reflection, translation}:** 

Naturally, the group with only translation is a subgroup.

**{vertical reflection, translation}:** 








**{translation}:** 

The same goes for our patterns with horizontal reflection. Color can remove their mirrors as well, and reduce them to patterns with only translation.



*Coloring Challenge: Can you find all of the mirrors in these patterns and use color to remove them?*





*frieze patterns with reflections and translation*

## p2


### Rotation & Translation

Frieze patterns can also have  $\frac{1}{2}$  turns.



They can be generated by a single piece,




that rotates by a  $\frac{1}{2}$  turn around a point,



before translating.



*Challenge: Can you find the  $\frac{1}{2}$  turns in the following patterns?*




*p2 frieze patterns:  $\frac{1}{2}$  turn rotation, translation*


## p11g

### Glide Reflection & Translation


There is another type of symmetry called **glide reflection**.




A **glide reflection** is a transformation that reflects across a mirror line at the same time as translating along it.




By continuing to translate or glide, a pattern with glide reflection is generated.




*Challenge: Can you see the glide reflections in the following patterns?*




*p11g frieze patterns: glide reflection, translation*




Glide reflections show themselves in other patterns as well. The patterns we generated with horizontal reflection have glide reflection too,



and color can reduce them




to patterns with glide reflection only.



*Coloring Challenge: Use color to reduce the patterns with horizontal reflection so that they only have glide reflection.*

*Coloring Challenge: Can you add more color to then remove the glide reflections?*




*frieze patterns with glide reflections and mirror reflections*

We have now seen patterns with each of the frieze group symmetries:

{translation}:



{horizontal reflection, translation}:




{vertical reflection, translation}:



{glide reflection, translation}:








{ $\frac{1}{2}$  turn rotation, translation}:



They all have **translation**, and all but the simplest have an additional generator of either **horizontal reflection**, **vertical reflection**, **glide reflection**, or **rotation**.


Let's clarify what we've been talking about and coloring...






The **frieze patterns** illustrate the **frieze groups**. These groups contain symmetries, not patterns - the patterns just help us see them.


For example, **{vertical reflection, translation}** are symmetries in a group that can be seen with the patterns:



And we can come up with infinitely more pattern designs to illustrate it.




*p1m1 frieze patterns: vertical reflection, translation*



As long as the pattern has units











where applying the same symmetries to any unit leaves the entire pattern unchanged



then the pattern illustrates the same group as any others with the same symmetries:

{ $\frac{1}{2}$  turn rotation, translation}






*p2 frieze patterns:  $\frac{1}{2}$  turn rotation, translation*

## p2mg

### Glide Reflection & Vertical Reflection & Rotation & Translation


Combining the frieze group symmetries yields even more groups of patterns.  
Take the group with

{glide reflection, vertical reflection, rotation, translation}.




Color can again reduce this pattern to have the same symmetries as the simpler patterns we already colored.

{rotation, translation}:




{glide reflection, translation}:



*Coloring Challenge: Use color to reduce the amount of symmetry in the patterns so that they only have vertical reflection and translation.*






*p2mg frieze patterns: glide reflection, horizontal reflection,  $\frac{1}{2}$  turn rotation, translation*

## p2mm

Horizontal Reflection & Vertical Reflection & Rotation & Glide Reflection & Translation


Patterns illustrating the group with all of our symmetries,

{horizontal reflection, vertical reflection, rotation, glide reflection, translation}.




can be reduced to each of the pattern groups we have already seen.


{rotation, translation}:



{horizontal reflection, translation}:




You can find the rest.



*Coloring Challenge: Use color to transform the patterns of the group {horizontal reflection, vertical reflection, rotation, glide reflection, translation} into each of the simpler pattern groups we have seen.*






*p2mm frieze patterns: horizontal reflection, vertical reflection, glide reflection,  $\frac{1}{2}$  turn rotation, translation*

We have now colored all 7 Frieze Groups. There are no other groups of patterns that repeat forever in one direction.

Surprised? Then try to generate more by again starting with a single piece.




Or use color to reduce a pattern to one with combinations of symmetries that we did not yet see, like **horizontal reflection, vertical reflection, translation**.







You will have to give up.


Combining **horizontal reflection** and **vertical reflection** brings about **rotation**. This is just one example of how combining symmetries brings us back to patterns we already have.



*Challenge: What happens when you combine glide reflection with rotation?*




*patterns from each of the 7 frieze groups*




Frieze patterns are limited to repetition along one dimension, but Wallpaper patterns do not have that limit.

When that limit is removed for the Wallpaper Groups, the number of possible patterns and amount of symmetry within them grows beyond what we have colored.



*Challenge: Can you find all of the directions in which the pattern repeats?*




*wallpaper pattern with  $\frac{1}{4}$  turn rotation,  $\frac{1}{2}$  turn rotation, and translation*

# WALLPAPER GROUPS

---

**Wallpaper patterns** repeat along 2 dimensions, and with more dimensions come more symmetries.


All of these 2-dimensional patterns can be classified by their symmetries into the 17 **wallpaper groups**, and we will color through each of them.



But first, again see how a page cuts off our patterns when really they continue repeating infinitely beyond the page borders...

*Challenge: Can you see the repetitions in the pattern?*

*Challenge: Can you extend your imagination to see the pattern repeat infinitely beyond the page borders?*




*wallpaper pattern*

Like the frieze patterns, all wallpaper patterns have an infinite number of translations that can be seen by focusing on a single piece that shifts over.




But this time the translations are not just in one direction.




Again we can see how we can shift the entire pattern with these translations, and because each piece is followed by infinitely more pieces, the entire pattern is left unchanged.





*wallpaper pattern*

These translations in different directions are symmetries of our wallpaper patterns and we can combine them to see such translations in even more directions.




Any 2 different directions of translation can be combined with each other or with themselves, in any number of ways, again and again, to produce more,

$$\rightarrow * \rightarrow * \downarrow * \downarrow * \downarrow \dots$$


and in this way these 2 translations can be the generators for a group of translations that span across all directions of the wallpaper patterns.

*Challenge: Can you see all of the directions of translation in the pattern?*




*wallpaper pattern*


We can again use color to alter our patterns



such as doubling the shortest distance a pattern can translate vertically.




*Coloring Challenge: Color the pattern so that the shortest possible distance of horizontal translation is tripled.*



*wallpaper pattern*


## p1

The simplest group of wallpaper patterns has translation as the only symmetry.



All wallpaper patterns have many directions of translation - they get more interesting when we consider groups of more complex symmetries...


*Coloring Challenge: Color the pattern so that the shortest possible translation is in a diagonal direction.*



*p1 wallpaper pattern: translation*

## pm


This pattern group has mirror reflections.



We can see a single piece of the pattern reflect across any one of its mirrors




or see the entire pattern reflect across them.



*Challenge: Can you see the pattern's different parallel vertical mirrors?*


*Coloring challenge: Color the pattern to remove its mirrors.*






*pm wallpaper pattern: mirror reflection, translation*


pg



This pattern group has glide reflections




along parallel axes.



These axes shift over with its translations, because the combination of the glide reflection and translation symmetries in this pattern group must also be in the group.

*Challenge: Can you see the different parallel axes of the glide reflections?*


*Coloring Challenge: Color the pattern to remove the glide reflection so the only symmetry is translation.*




*pg wallpaper pattern: glide reflection, translation*

## cm

This pattern has parallel axes of both glide and mirror reflections,




and we can again use color to reduce it to simpler patterns we previously saw



such as by coloring away its glide reflections while keeping its mirror reflections.


*Challenge: Can you see the different parallel axes of glide reflection?*

*Coloring Challenge: Color the pattern to remove some glide reflections while keeping others.*




*cm wallpaper pattern: mirror reflection, glide reflection, translation*


p2



This pattern has  $\frac{1}{2}$  turn rotations. There are points that we can see a single piece make a  $\frac{1}{2}$  turn around




and that the entire pattern can turn around.




*Challenge: Can you see the many points of rotation in the pattern?*

*Coloring Challenge: Color the pattern to remove some points of rotation while keeping others.*




*p2 wallpaper pattern:  $\frac{1}{2}$  turn rotation, translation*


## pmm



This pattern has perpendicular axes of mirror reflection



with  $\frac{1}{2}$  turn rotations where the axes intersect.




This is about to get more complicated...

*Challenge: Is it possible to have a pattern with perpendicular axes of mirror reflection that does not also have  $\frac{1}{2}$  turns? Hint: What is the result of combining perpendicular reflections?*

*Coloring Challenge: Color the pattern to remove its mirrors while maintaining its  $\frac{1}{2}$  turns.*







*pmm wallpaper pattern: mirror reflection,  $\frac{1}{2}$  turn rotation, translation*

## pgg

This pattern group has glide reflections and  $\frac{1}{2}$  turn rotations, but no mirror reflections. The glide reflections have perpendicular axes, and the rotation centers do not lie on their intersection.




We can shift these axes and yet have a pattern with the same symmetries, and so it's in the same wallpaper group.



*Challenge: Can you see the many different axes of glide reflection?*


*Coloring Challenge: Color the pattern to remove the horizontal axes of glide reflection while maintaining the vertical glide reflections.*




*pgg wallpaper pattern: glide reflection,  $\frac{1}{2}$  turn rotation, translation*

## pmg

This pattern group contains both mirror and glide reflections where the axes of the glide reflections are perpendicular to those of the mirror reflections. It also has  $\frac{1}{2}$  turn rotations on the glide reflection axes, halfway between the mirror reflections.




We can again shift the axes to see a pattern with the same symmetries.



*Challenge: Can you see glide reflections and the points of rotation?*


*Coloring Challenge: Color the pattern to remove the glide reflections while maintaining the mirror reflections. What happens to the rotations?*



*pmg wallpaper pattern: mirror reflection, glide reflection,  $\frac{1}{2}$  turn rotation, translation*

## cmm


Like another pattern group we already colored, this one has perpendicular reflection axes with  $\frac{1}{2}$  turn rotations at their intersections.



However it also has additional rotations that do not lie on the intersection of the reflections.

*Challenge: Can you see the points of  $\frac{1}{2}$  turn rotations that lie on the mirror reflection axes as well as those that do not?*


*Coloring Challenge: Color the pattern to remove all mirror reflections.*




*cmm wallpaper pattern: mirror reflection, glide reflection,  $\frac{1}{2}$  turn rotation, translation*

## p4


Wallpaper patterns can also have  $\frac{1}{4}$  turn rotations. In the same way a single piece can rotate 4 times around a point,



an entire pattern can as well.




This pattern group has  $\frac{1}{4}$  turn and  $\frac{1}{2}$  turn rotations.



*Challenge: Can you see the many  $\frac{1}{4}$  turn rotation points in the pattern?*

*Coloring challenge: Color the pattern to reduce the  $\frac{1}{4}$  turns to  $\frac{1}{2}$  turns.*






*p4 wallpaper pattern:  $\frac{1}{4}$  turn rotation,  $\frac{1}{2}$  turn rotation, translation*

## p4m

This pattern group has  $\frac{1}{2}$  turn and  $\frac{1}{4}$  turn rotations, as well as reflections with axes that intersect in ways that are both perpendicular and diagonal.




Each of its rotation centers lie on multiple reflection axes:

The centers of the  $\frac{1}{4}$  turns are at the intersection of 4 mirror reflection axes. The centers of the  $\frac{1}{2}$  turns sit on the intersection of 2 mirror reflection axes and 2 glide reflection axes.

*Challenge: Can you see the  $\frac{1}{2}$  turns as well as the  $\frac{1}{4}$  turns? Can you find the many different axes of reflection?*


*Coloring challenge: Color the pattern to remove its reflections so that rotations are its only symmetries.*



*p4m wallpaper pattern: mirror reflection, glide reflection,  $\frac{1}{4}$  turn rotation,  $\frac{1}{2}$  turn rotation, translation*

## p4g


This pattern group again contains  $\frac{1}{2}$  turn and  $\frac{1}{4}$  turn rotations as well as both mirror and glide reflections, but this time with more glide reflections - there are 4 directions of glide reflection.



Each  $\frac{1}{2}$  turn rotation sits on the intersection of 2 perpendicular mirror reflection axes and the  $\frac{1}{4}$  turn rotations do not sit on any reflection axes.

*Challenge: Can you see the many different axes of glide reflection?*


*Coloring Challenge: Color the pattern to remove the  $\frac{1}{4}$  turns while keeping the  $\frac{1}{2}$  turns.*



*p4g wallpaper pattern: mirror reflection, glide reflection,  $\frac{1}{4}$  turn rotation,  $\frac{1}{2}$  turn rotation, translation*

## p3


Wallpaper patterns can have  $\frac{1}{3}$  turn rotations too.



This is the simplest wallpaper pattern group that contains a  $\frac{1}{3}$  turn rotation. It has no reflections, but others can...

*Challenge: Can you see the points of  $\frac{1}{3}$  turn rotation?*


*Coloring Challenge: Color the pattern to remove its rotations so that translation is its only symmetry.*



*p3 wallpaper pattern:  $\frac{1}{3}$  turn rotation, translation*

## p31m

This pattern group contains mirror reflections, glide reflections, and  $\frac{1}{3}$  turn rotations.




Some of the centers of rotation lie on the reflection axes, and some do not.

*Challenge: Can you see the rotation centers that are both on and off the reflection axes?*

*Coloring Challenge: Color the pattern to remove the reflections while keeping the  $\frac{1}{3}$  turns.*






*p31m wallpaper pattern: mirror reflection, glide reflection,  $\frac{1}{2}$  turn rotation, translation*

## p3m1


This pattern group also has mirror reflections, glide reflections, and  $\frac{1}{3}$  turn rotations,



and this time all of the centers of rotation lie on the reflection axes.

*Challenge: Can you see the glide reflections?*


*Coloring Challenge: Color the pattern to again remove the reflections while keeping the  $\frac{1}{3}$  turns.*



*p3m1 wallpaper pattern: mirror reflection, glide reflection,  $\frac{1}{3}$  turn rotation, translation*

## p6


Any group with both  $\frac{1}{2}$  turns and  $\frac{1}{3}$  turns must have all of their combinations, including  $\frac{1}{6}$  turns...



This pattern group has  $\frac{1}{2}$  turn,  $\frac{1}{3}$  turn, and  $\frac{1}{6}$  turn rotations but no reflections.

*Challenge: Can you see the  $\frac{1}{6}$  turns? Can you see the  $\frac{1}{2}$  turns?*


*Coloring Challenge: Color the pattern to remove the  $\frac{1}{2}$  turn and  $\frac{1}{6}$  turn rotations while maintaining the  $\frac{1}{3}$  turns.*



*p6 wallpaper pattern:  $\frac{1}{6}$  turn rotation,  $\frac{1}{3}$  turn rotation,  $\frac{1}{2}$  turn rotation, translation*

## p6m


This pattern group has  $\frac{1}{6}$  turn,  $\frac{1}{3}$  turn, and  $\frac{1}{2}$  turn rotations, as well as mirror and glide reflections.



*Challenge: How many axes of mirror reflection intersect at the centers of the  $\frac{1}{6}$  turn rotations?*

*Challenge: Can you see the glide reflections?*


*Coloring Challenge: Color the pattern to remove its  $\frac{1}{6}$  turns while keeping its reflections and  $\frac{1}{3}$  turns.*



*p6m wallpaper pattern: mirror reflection, glide reflection,  $\frac{1}{6}$  turn rotation,  $\frac{1}{3}$  turn rotation,  $\frac{1}{2}$  turn rotation, translation*


There are 17 wallpaper pattern groups and we have now colored all of them.

There are no other ways to combine the symmetries in patterns that repeat along 2 dimensions.




Yet each wallpaper group has infinitely many more patterns that could represent it...






*p4g wallpaper pattern: mirror reflection, glide reflection,  $\frac{1}{4}$  turn rotation,  $\frac{1}{2}$  turn rotation, translation*

Like we saw before, it doesn't matter what the starting piece of a pattern is.




as long as we can see the symmetries in the patterns between those pieces.




*Challenge: Can you see the  $\frac{1}{2}$  turns in the pattern?*


*Coloring Challenge: Color the pattern so that translation is its only symmetry.*




We can see these symmetries in the patterns of the physical world around us,



or stay in the world of perfect mathematics.





*p4 wallpaper pattern:  $\frac{1}{4}$  turn rotation,  $\frac{1}{2}$  turn rotation, translation*

*This project is a work in progress - your help and feedback is appreciated!*

<http://coloring-book.co/form>

*Here are some wallpaper patterns to play with: <http://coloring-book.co/wallpaper>*

# THEORY REFERENCE

---

Group theory helps define abstract structures discussed in algebra. The groups in this coloring book are only a window into the groups explored in other realms of mathematics.

There are some rules and definitions that pertain to all groups, not just ours.

## Group

A group  $G$  is a set coupled with a binary operator  $*$  that satisfies 4 requirements:  
*See the details of each rule for examples.*

Closure:  $G$  is closed under  $*$ ; i.e., if  $a$  and  $b$  are in  $G$ , then  $a*b$  is in  $G$ .

Identity element: There exists an identity element  $e$  in  $G$ ; i.e., for all  $a$  in  $G$  we have  $a*e = e*a = a$ .

Inverse element: Every element in  $G$  has an inverse in  $G$ ; i.e., for all  $a$  in  $G$ , there exists an element  $-a$  in  $G$  such that  $a*(-a) = (-a)*a = e$ .

Associativity: The operator  $*$  acts associatively; i.e., for all  $a, b, c$  in  $G$ ,  $a*(b*c) = (a*b)*c$ .

---

## Associative Property

When an operator  $*$  for a group  $G$  is associative, the way elements in  $G$  are grouped when the operator is applied does not matter. I.e., for all  $a, b, c$  in  $G$ ,  $a*(b*c) = (a*b)*c$ .

One example of this is adding numbers:  $1 + (2 + 3) = (1 + 2) + 3$ .

Notice that subtraction of numbers is not associative:  $1 - (2 - 3)$  does not equal  $(1 - 2) - 3$ .

Our groups of rotations have an associative operator: Our operator here is combining rotations.

For  $C_3$ ,  $(\frac{1}{3} \text{ turn} * \frac{1}{3} \text{ turn}) * \frac{2}{3} \text{ turn} = \frac{1}{3} \text{ turn} * (\frac{1}{3} \text{ turn} * \frac{2}{3} \text{ turn})$ . That is, rotating twice by a  $\frac{1}{3}$  turn and then rotating the result by a  $\frac{2}{3}$  turn is the same as combining a  $\frac{1}{3}$  turn with the result of rotating by a  $\frac{1}{3}$  turn and then by a  $\frac{2}{3}$  turn.

## Binary Operator

A binary operator  $*$  combines 2 elements,  $a$  and  $b$ , from a set  $S$  to give a third element:  $a*b$ .

An example is addition over the set of counting numbers:  $+$  is a binary operator that combines 2 numbers to create their sum:  $1 + 2 = 3$ .

Our binary operator combines the transformations that act on our symmetry groups. For symmetry elements  $a$  and  $b$ ,  $a*b$  says "do  $a$ , and then do  $b$ ". For example, if transformation  $a$  is "rotate by a  $\frac{1}{4}$  turn" and  $b$  is "reflect horizontally", then  $a*b$  is "rotate by a  $\frac{1}{4}$  turn and then reflect horizontally".

## Closure

A set  $S$  is closed under an operator  $*$  if combining any 2 elements in  $S$  with  $*$  results in an element that is also in  $S$ ; i.e., for any  $a$  and  $b$  in  $S$ ,  $a*b$  is also in  $S$ .

For example, the set of all counting numbers  $0, 1, 2, 3, \dots$  is closed under the addition operator  $+$  because adding any two counting numbers results in another counting number.

Coming back to our sets of rotations, the set  $\{\frac{1}{4} \text{ turn}, \frac{2}{4} \text{ turn}\}$  is not closed because combining the  $\frac{1}{4}$  turn with the  $\frac{2}{4}$  turn results in the  $\frac{3}{4}$  turn which is not in this set.

## Commutative Property

A binary operator  $*$  is commutative if the order in which it combines elements does not matter. I.e., for any 2 elements  $a$  &  $b$ ,  $a*b = b*a$ .

For example, addition is commutative because  $1 + 2 = 2 + 1$ , but subtraction is not commutative because  $1 - 2 \neq 2 - 1$ .

## Cyclic Group

A group  $G$  is called cyclic if it can be generated by a single element.

Our groups of rotations are cyclic groups because they can be generated by their smallest nonzero element. For example, our  $C_2$  group was  $\{0 \text{ turn}, \frac{1}{2} \text{ turn}\}$ , and it was generated by the  $\frac{1}{2}$  turn.

There are many other cyclic groups out there. Another  $C_2$  group that may look different, is the group  $\{1, -1\}$  where the members of the group are the numbers 1 and  $-1$  and the way of combining these members is with multiplication. It can be generated by  $-1$ .

*The term cyclic may be misleading. Our cyclic groups had a finite number of elements, and combining them again and again created cycles. However, there are cyclic groups with infinite elements, such as the integers under addition.*

## Generator

Generators of a group are a set of elements that when combined with themselves, or each other, can produce all the other elements of the group.

For example,  $-2$  and  $2$  are generators that when combined with addition, generate the entire group of even integers.

## Identity Element

An identity element is a neutral element - when it's combined with other members in the group, it does not change them.

For our groups of rotations, the identity element is the 0 turn: rotating by the 0 turn is the same as doing nothing at all.

For the group of integers under addition, the identity element is 0:  $0 + 2 = 2$ .

For the group of integers under multiplication, the identity element is 1:  $1 \times 2 = 2$ .

## Inverse Element

An inverse element is the reverse of another element.

More formally, for a set,  $S$  with a binary operator,  $*$ , and  $a$  and  $b$  in  $S$ :  $a$  is the inverse of  $b$  if  $a*b = b*a = e$ , where  $e$  is the identity element.

For our groups of rotations, each rotation's inverse element is the rotation that undoes it. For example, the inverse of the  $\frac{1}{3}$  turn is the  $\frac{2}{3}$  turn because  $\frac{1}{3} \text{ turn} * \frac{2}{3} \text{ turn} \rightarrow \text{full turn}$ . The full turn is the same as the 0 turn which is our identity element.

For addition on the integers, each integer's inverse element is its negative:  $-1$  is the inverse of 1 because  $-1 + 1 = 0$ .

## Order

The order of a group  $G$  is the number of elements in  $G$ . The order of  $G$  is sometimes written as  $|G|$ .

For example, the order of our  $C_3$  group of rotations is 3 because  $C_3$  has 3 elements:  $\{0 \text{ turn}, \frac{1}{3} \text{ turn}, \frac{2}{3} \text{ turn}\}$

## Set



A set is a collection of distinct elements.

For example, the set {blue, red, blue} is the same set as the set {blue, red}.

For our sets of rotations, the set {0 turn,  $\frac{1}{3}$  turn,  $\frac{4}{3}$  turn} is the same as the set {0 turn,  $\frac{1}{3}$  turn} because a  $\frac{1}{3}$  turn means the same thing as a  $\frac{4}{3}$  turn - they are not distinct.

## **Subgroup**

Given a group G, a **subgroup** of G is a group with the same binary operator as G and whose members are all also in G.

For example, the group of even integers under addition {... -2, 0, 2, 4,...}, + is a subgroup of the group of all integers under addition {... -2, -1, 0, 1, 2,...}, +.

However, the same cannot be said for odd integers. The set of odd integers under addition {... -3, -1, 1, 3, 5,...}, + is not closed and therefore cannot be a group: Combining odd integers with addition produces even integers (e.g.  $1 + 3 = 4$ ), which are clearly not in the set of odd integers.


*Notice that a group and its subgroups always have the same identity element.*

# SYMMETRIES


## OF PATTERNS IN THE PLANE

---

**Translation** is a shift in a given direction.



An infinitely repeating pattern has translation as a symmetry - the entire pattern can be shifted over without changing in appearance:



**Mirror Reflection** is a reflection across an imaginary line.




A pattern has mirror reflection as a symmetry if the entire pattern can reflect across a line yet remain unchanged:



**Glide Reflection** composes translation and mirror reflection: A **glide reflection** reflects across a mirror line at the same time as translating along it.





Infinitely repeating patterns can have glide reflections:




**Rotation** is a symmetry that turns a pattern around a point.


$\frac{1}{2}$  turn rotation:




$\frac{1}{4}$  turn rotation:



$\frac{1}{3}$  turn rotation:



$\frac{1}{6}$  turn rotation:



These symmetries can be combined in patterns that repeat infinitely. Play with their combinations: <http://coloring-book.co/wallpaper>.

## SHARE

---

Follow on instagram: [@colorByMath](#)

Share what you've colored on Facebook: [facebook.com/colorByMath](https://facebook.com/colorByMath).

Or post to Instagram and Twitter with the #colorByMath hashtag.

Tweet



## CONTACT

---

If you are an **educator** I want to hear from you.

If you want to collaborate or host an event with this material, please reach out.

If you just read/colored/played with the content in this book, I want to know what you think.

Contact me directly at [colorbymath@gmail.com](mailto:colorbymath@gmail.com).

Or submit feedback in this form: [coloring-book.co/form](https://coloring-book.co/form)

## CODE

---

The code for this project is open source and welcomes contributions:

<https://github.com/aberke/coloring-book>

## ABOUT THE AUTHOR & PROJECT

---

Alex Berke received degrees in mathematics and computer science from Brown University. After graduating college, she lived in New York City working as a technologist, with a focus on social impact. Most recently she worked as a software engineer at Google on the Search team's news credibility effort to fight disinformation, before entering graduate school at MIT.



She has benefited from her education in computer science, but only found computer science in college by pursuing her passion for mathematical thinking. She was only aware of this passion due to all the time she spent as a kid staring at mathematical designs and playing with logic puzzles, and then having a few adults around to suggest that the concepts she loved in these images and games were what math was all about. She feels lucky she had those resources and adults around her.

This project was produced to provide a resource for others to discover the beauty of mathematics. It intends to show that the best parts of math are not about numbers, and make those parts more accessible.